

Administration/ Postal Address:  
Ritter Implants GmbH & Co. KG  
Freiburger Str. 45  
88400 Biberach | Germany

Distributor:  
4310 West Avenue | San Antonio Texas 78213  
Telephone +1/ 1.855.807.8111  
www.ritterimplants.com



Fon +49 7351/ 52 925 – 10  
Fax +49 7351/ 52 925 – 11  
info@ritterimplants.com

## FDA- Registration and Listing

Product Name	Product Code	510(k)	Sizing
Open Tray Impression Coping	DZE	K180183/LTF	Titanium (slim, short, long)
Closed Tray Impression Coping	DZE	K180183/LTF	Titanium (slim, short, long)
Clicq-Trans	NHA	K180183/LTF	Titanium
Pop-Clicq Straight Over Denture Attachment	NHA	K180183/LTF	Titanium H0.5-7mm
Pop-Clicq Angled Over Denture Attachment	NHA	K180183/LTF	Titanium H0.5-4mm (18°-30°)
Multi-Clicq Straight Multi-Unit	NHA	K180183/LTF	Titanium H1-6mm
Multi-Clicq Angled Multi-Unit	NHA	K180183/LTF	Titanium H1-4mm (17°-30°)
Multi-Clicq Angled Rotational Multi-Unit	NHA	K180183/LTF	Titanium H1-4mm (17°-30°)
Clicq-Pression Straight Transfer Abutment	NHA	K180183/LTF	H1-3mm (short, medium, long)
Clicq-Pression Angled Transfer Abutment	NHA	K180183/LTF	H1-3mm (15°-25°)
Healing Abutment	NHA	K180183/LTF	Titanium H2-7mm (slim, standard, wide, extra-wide)
Healing Cap	NHA	K180183/LTF	PEEK H3-5mm (slim, wide)
Temporary Abutment	NHA	K180183/LTF	Titanium
Screw for Healing Abutment	NHA	K180183/LTF	Titanium
Straight Abutment	NHA	K180183/LTF	PEEK H1-4mm
Anatomic Angled Abutment	NHA	K180183/LTF	PEEK H1-4.5mm (15°-25°)
Straight Slim Abutment	NHA	K180183/LTF	Titanium (5, 7, 9mm)
Straight Abutment	NHA	K180183/LTF	Titanium (5-15mm)
Straight Concave Abutment	NHA	K180183/LTF	Titanium H1-4.5mm
Straight Anatomic Abutment	NHA	K180183/LTF	Titanium H1-4.5mm
Straight Concave Anatomic Abutment	NHA	K180183/LTF	Titanium Ø4.8mm H1-4.5mm
Angled Standard Abutment	NHA	K180183/LTF	Titanium (15°-30°) (slim, long)

Sitz/ Headquarters: Biberach an der Riß  
Amtsgericht/ Local Court  
Ulm HRA 722924  
Steuernr./ Tax No. 54002/ 56494  
USt-Id Nr./ VAT Id. No. DE282768936

Persönlich haftende Gesellschafterin/  
General Partner: Ritter Holding GmbH  
Sitz/ Headquarters:  
Düsseldorf Amtsgericht/ Local Court  
Düsseldorf HRB 83594  
Geschäftsführer/ Managing director:  
Basil Elias Battah

Bank / Bank connection  
Kreissparkasse Biberach  
IBAN: DE41654 500 70 0007 4969 92  
BIC (SwiftCode): SBCRDE66XXX



Product Name	Product Code	510(k)	Sizing
Angled Anatomic Abutment	NHA	K180183/LTF	Titanium H1-4.5mm (15°-30°)
Angled Concave Anatomic Abutment	NHA	K180183/LTF	Titanium H1-4.5mm (15°-25°)
Zircocam Straight Anatomic Abutment	NHA	K180183/LTF	Zirconia H1-4.5mm
Zircocam Angled Anatomic Abutment	NHA	K180183/LTF	Zirconia H1-4.5mm (15°-25°)
Ball Attachments	NHA	K180183/LTF	Titanium H1-7mm
Multi-Clicq Temporary Sleeve	NHA	K180183/LTF	Titanium
Multi-Clicq Adhesive Cap	NHA	K180183/LTF	Titanium
Open Tray Impression Coping Screw	NHA	K180183/LTF	Titanium
Closed Tray Impression Coping Screw	NHA	K180183/LTF	Titanium Short, long
Multi-Clicq Screw for Open Transfer	NHA	K180183/LTF	Titanium
Screw for Abutments	NHA	K180183/LTF	Titanium
Multi-Clicq Screw	NHA	K180183/LTF	Titanium
Zircotec Screw	NHA	K180183/LTF	Titanium
Multi Pop-Clicq Screw	NHA	K180183/LTF	Titanium
Healing Cap Screw	NHA	K180183/LTF	Titanium
NL-QSI Implants	DZE	K131557	Ø: 3.3; L: 10.0 – 16.0
NL-QSI Implants	DZE	K180183	Ø: 3.0; L: 10.0 – 16.0
QSI Implants	DZE	K131557	Ø: 3.8-6.0; L: 8.0 – 16.0
QSI Implants	DZE	K180183	Ø: 5-6; L: 6
TFI Implants	DZE	K131557	Ø: 3.65 – 5.0; L: 8.0 – 16.0
HC Healing Abutments	NHA	K131557	Titanium Ø: 3.8 – 6.3; L:2.0 – 7.0
HC Healing Abutments	NHA	K160475	Titanium Ø: 4.5-5.5; L:3.1-4.3
NL-HC Healing Abutments	NHA	K131557	Titanium Ø: 3.5 – 4.2; L:2.0 – 6.0
NL-HC Healing Abutments	NHA	K160475	Titanium Ø: 3.8 – 4.5; L:3-7.9
OCA-Anatomic Abutment	NHA	K131557	Titanium Ø: 4.7/ L:2.55-4.55 / SL:0.5-2.5
ACA-Anatomic Abutment	NHA	K131557	Titanium Ø: 4.7/ L:3.6-4.6 / SL:1.5-2.5

Product Name	Product Code	510(k)	Sizing
NL-OCA-Anatomic Abutment	NHA	K131557	Titanium Ø: 4.1 / L:2.6 - 4.6 / SL:0.5 - 2.5
NL-ACA-Anatomic Abutment	NHA	K131557	Titanium Ø: 4.1 / L:2.6 - 4.6 / SL:0.5 - 2.5
BSO-Anatomic Abutment	NHA	K131557	Titanium Ø: 2.8 / L: 3.9
SSTA-Anatomic Abutment	NHA	K131557	Titanium Ø: 4.8 / L:9 - 12 / SL:1 - 4
STA-Straight Abutment	NHA	K131557	Titanium Ø: 4.5-5.5 ; L: 5-15
SATA-Straight Abutment	NHA	K131557	Titanium Ø: 4.5 ; L: 8.6-11.6
SLTA-Straight Abutment	NHA	K131557	Titanium Ø: 3.8 ; L: 5-9
SLTA Straight	NHA	K160475	Titanium Ø: 3.8 ; L: 6-10
NL-STA-Straight Abutment	NHA	K131557	Titanium Ø: 3.0 / L: 7.85
NL-SSTA-Straight Abutment	NHA	K131557	Titanium Ø: 3.8 / L: 8.2-10.2
ESPS-Straight Abutment	NHA	K131557	Titanium Ø: 5.5 ; L: 9.7-10.7
ATA Angulated Abutment	NHA	K131557	Titanium Ø: 3.9-4.8 ; L: 8.4-10.8 (15°-25°)
NL-ATA Angulated Abutment	NHA	K131557	Titanium Ø: 4.8 / L: 8.8 (15°)
EATA Angulated Abutment	NHA	K131557	Titanium Ø: 4.4-4.7 / L: 8.6-10.6 (15°-25°)
BA-Ball Attachments	NHA	K131557	Ø: 4.1 / L:3.7-9.7 / SL: 0.9-6.9
LOC-Locator	NHA	K131557	Ø: 3.9/L:2.2-8.7 / SL: 0.5-7
NL-BA Ball Attachments	NHA	K131557	Ø: 2.5 / L:3.5-6.5 / SL: 1-4
NL-LOC-Locator	NHA	K131557	Ø: 3.9/L:2.7-7.7 / SL: 1-6
SF-Screw	NHA	K131557	Ø: 2.9 / L:5
TSA-Screw	NHA	K131557	Ø: 1.8 / 8.3
NL-TSA-Screw	NHA	K131557	Ø: 1.6 / 8.3
CSI-Screw	NHA	K131557	Ø: 1.8 / L: 5
NL-CSI Screw	NHA	K131557	Ø: 1.6 / L: 4.9
NL-SNAP Implant	DZE	K160475	Ø: 3.3 / L: 10-16
NL-SNAP Implant	DZE	K180183	Ø: 3.0; L: 10.0 – 16.0
SNAP Implant	DZE	K160475	Ø: 3.8-6 / L: 8-16

Product Name	Product Code	510(k)	Sizing
SNAP Implant	DZE	K180183	Ø: 5-6; L: 6
NL-PAC Anatomic	NHA	K160475	Ø:4.5 / L:8
NL-AZA Anatomic	NHA	K160475	Ø:4.5 / L:14.2
PAC-Anatomic	NHA	K160475	PEEK Ø: 3.7-4.5 / L:8-12.9
AZA-Anatomic	NHA	K160475	PEEK Ø:4.5 / L:14.2
PACA-Anatomic	NHA	K160475	PEEK Ø:4.7-4.8 / L:12-15
ESPS Straight	NHA	K160475	Ø: 4.8 / L: 7.3
SAGA Straight	NHA	K160475	Ø: 4.2 / L: 9.1-11.6
PASA Straight	NHA	K160475	PEEK Ø: 5.2 / L: 12.9-14.9
XSPA Straight	NHA	K160475	PEEK Ø: 5.1 / L: 9
ZASA Straight	NHA	K160475	Zirconia Ø: 5.2 / L: 9.2-11.7
XSZA Straight	NHA	K160475	Zirconia Ø: 5.1-5.6 / L:10-11
ATA Angulated	NHA	K160475	Titanium Ø: 4.1 / L: 8.8 6 (25°)
EAZA Angulated	NHA	K160475	Zirconia Ø: 5-5.1 / L: 10.7-14 (15°-25°)
XAZA Angulated	NHA	K160475	Zirconia Ø: 4.0-5 / L: 7-10 (15°-25°)
MUL Angled	NHA	K160475	Ø: 4.4-6.5 / L: 4.5-6.5 (15°-25°)
MUL-SAM Straight	NHA	K160475	Ø: 4.5 / L: 3.3-4.5/H:1-2
MUL-TTA Straight	NHA	K160475	Ø: 4.5 / L: 9-12
MUL-STA Straight	NHA	K160475	Ø: 4.2 / L: 9.5
MUL-OCA Straight	NHA	K160475	Ø: 4.1 / L: 3.9 / SL:0.5-1.5
MUL-PSCA Straight	NHA	K160475	Ø: 3.7 / L:10
MUL-TSCA Straight	NHA	K160475	Ø: 4.5 / L:11
MUL-OTSCA Straight	NHA	K160475	Ø: 4.5 / L:12.3
MUL-SMU Straight	NHA	K160475	Ø: 2.0 / L:6.5
MUL-BA Straight	NHA	K160475	Ø: 4.3 / L:6.1-7.1 / H:1-2
MUL-LOC Straight	NHA	K160475	Ø: 4.5 / L:4.3-5.3 / H:1-2
SCL-V Straight	NHA	K160475	PEEK Ø: 3.8 / L:1.7
SCL-T Straight	NHA	K160475	PEEK Ø: 3.8 / L:1.7
SCL-P Straight	NHA	K160475	PEEK Ø: 3.8 / L:1.7
SCL-Y Straight	NHA	K160475	PEEK Ø: 3.8 / L:1.7
SCL-B Straight	NHA	K160475	PEEK Ø: 3.8 / L:1.7
MC-LOC Straight	NHA	K160475	Stainless Steel Ø: 4.5 / L:2
LOC-IT	NHA	K160475	PEEK Ø: 3.7 / L:8.7
PC-LOC	NHA	K160475	PEEK Ø: 4.5 / L:8
LOC-IA	NHA	K160475	Stainless Steel Ø: 3.8/ L:12.3
LOC-PIT	NHA	K160475	Stainless Steel Ø: 4/ L:5.5
LOC-CPC	NHA	K160475	PEEK Ø: 3.8/ L:2.4
MUL-AASCA	NHA	K160475	Ø: 4.2 / L:12
MUL-SCA	NHA	K160475	Ø: 4.5 / L:6.8-9.9 / H:1.1-4.1

Product Name	Product Code	510(k)	Sizing
SCB-T Caps	NHA	K160475	Stainless Steel Ø: 4.2/ L:2.6
SCB-P Caps	NHA	K160475	Stainless Steel Ø: 4.2/ L:2.6
SCB-Y Caps	NHA	K160475	Stainless Steel Ø: 4.2/ L:2.6
MCB Caps	NHA	K160475	Stainless Steel Ø: 5/ L:3.2
SCB-G Caps	NHA	K160475	Stainless Steel Ø: 4.2/ L:2.6
SCB-B Caps	NHA	K160475	Stainless Steel Ø: 4.2/ L:2.6
MUL-SCS Screws	NHA	K160475	Ø: 2.3 / 4.2
MUL-SMU Screws	NHA	K160475	Ø: 2.0 / L:6.5
COD	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
Clicq	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
Clicq PLUS	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
NL-COD	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
NL-Clicq	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
NL-Clicq PLUS	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-18, 30°)
MUKS	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-17, 30°)
NL-MUKS	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-17, 30°)
MU-S	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-17, 30°)
MU-TSAMU	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-17, 30°)
NL-MU- TSAMU	NHA	K180183	Ø: 3.75 / H: 1-4 (0°-17, 30°)
MU-KSAC-R Rotation Cap	NHA	K180183	
MU-KSAC-AR Cap	NHA	K180183	
MU-KSHC Healing Cap	NHA	K180183	
MU-KSSL Sleeve	NHA	K180183	
MU-KSTS Screw	NHA	K180183	
PUT	NHA	K180183	Ø: 3.75 / H: 0-4 (15°-25°)
NL-PUT	NHA	K180183	Ø: 3.75 / H: 0-4 (15°-25°)